

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	661	"data storage" integrated near5 switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L2	712	((data or disk) adj storage) integrated near5 switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L3	40	((data or disk) adj storage) (integrated near5 switch) "709"/\$\$.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L4	119	((data or disk) adj storage) (integrated near5 switch) "370"/\$\$.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L5	8	((data or disk) adj storage near2 system) (integrated near5 switch) "370"/\$\$.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L6	89	((data or disk) adj storage near2 system) (integrated near5 switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L7	211	"network data storage" @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L8	98	"network data storage" switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L9	33806	((disk or data) adj storage) system switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L10	430	switch adapter detachable network @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L11	303	network adj attached adj storage @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30

EAST Search History

L12	4439	network switch removable card @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L13	4146	network switch removable card computer @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L14	9337	network switch diagnostic config\$ @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L15	85	network switch diagnostic config\$ BIST vector @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L16	14	network switch diagnostic config\$ BIST vector (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L17	2641	network switch diagnostic config\$ (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L18	34	network switch diagnostic config\$ (fibre or fiber) @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L19	744	network router diagnostic config\$ (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L20	7	network router diagnostic config\$ (fibre or fiber) @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L21	7	router diagnostic config\$ (fibre or fiber) @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L22	33	router "diagnostic mode" config\$ (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L23	29	assign IP near5 slot router @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30

EAST Search History

L24	62	(assign adj IP) same (ID or identifier or identification) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L25	18	(assign adj IP) near5 (ID or identifier or identification) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L26	149	dynamic same (assign adj IP) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L27	472	location (dynamic near3 IP) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L28	178	"test vector" (BIST or "built-in self-test") (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L29	4	"test path" ports diagnostic (BIST or "built-in self-test") (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L30	187	ports diagnostic (BIST or "built-in self-test") (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L31	631	370/218,248,250.ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L32	9	self?test 370/218,248,250.ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L33	67	self?test diagnostic "709"/\$\$\$ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L34	3	BIST diagnostic "709"/\$\$\$ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L35	12	"internal diagnostic" ping (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30

EAST Search History

L36	586	diagnostic ping (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L37	58	diagnostic ping self-test (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L38	51	diagnostic ping self-test (router or switch) network @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L39	230	diagnostic test ping (router or switch) IP @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L40	586	diagnostic ping (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L41	2141	cisco router @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L42	963	cisco.as. router @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L43	0	cisco.as. router @ad<"20010607" Built-in Self-test	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L44	5	cisco.as. router @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L45	140	cisco.as. router @ad<"20010607" diagnostic	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L46	16	cisco.as. router @ad<"20010607" diagnostic ping	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L47	60	cisco.as. router @ad<"20010607" ping	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30

EAST Search History

L48	25	router ping self\$test @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L49	35	(test WITH vector) SAME connectivity @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L50	578	(test WITH vector) connect\$ fibre @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L51	8	(test WITH vector) connect\$ fibre (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L52	24	(test WITH loop) connect\$ fibre (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L53	114	(test WITH loop) connect\$ (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L54	82	(test WITH loop) connect\$ storage (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L55	22	(test WITH loop) connect\$ (data adj storage) (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L56	52	(test WITH (loop or path)) connect\$ (data adj storage) (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L57	2195	(test WITH (loop or path)) connect\$ (data adj storage) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L58	2978	(test WITH circuit) connect\$ (data adj storage) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L59	30951	data WITH storage integrated switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30

EAST Search History

L60	2700	data WITH storage integrated WITH switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L61	1647	data WITH storage integrated WITH switch network @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L62	3040	data WITH storage switch (cache WITH (operation or command)) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L63	160	data WITH storage integrated WITH switch (cache WITH (operation or command)) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L64	425	network switch diagnostic config\$ cache WITH (Command or operation or move or moving) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L65	412	network switch diagnostic config\$ cache WITH (Command or operation) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L66	830	(switch or router) diagnos\$ (config\$ or setting) cache WITH (Command or operation) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L67	322	(switch or router) diagnos\$ (config\$ or setting) adapter cache WITH (Command or operation) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L68	939	709/250.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 10:30
L69	4564	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 11:18
L70	4802	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 11:18
L71	1395	709/200.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/04/19 11:18

EAST Search History

S2	641	"data storage" integrated near5 switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 09:24
S3	686	((data or disk) adj storage) integrated near5 switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 09:25
S4	33	((data or disk) adj storage) (integrated near5 switch) "709"/\$\$\$\$.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 09:27
S5	111	((data or disk) adj storage) (integrated near5 switch) "370"/\$\$\$\$.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 13:25
S6	7	((data or disk) adj storage near2 system) (integrated near5 switch) "370"/\$\$\$\$.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 13:26
S7	86	((data or disk) adj storage near2 system) (integrated near5 switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 13:47
S8	197	"network data storage" @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 13:51
S9	88	"network data storage" switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 14:04
S10	32509	((disk or data) adj storage) system switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 14:13
S11	413	switch adapter detachable network @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 14:44
S12	252	network adj attached adj storage @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 14:29
S13	4037	network switch removable card @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 14:45

EAST Search History

S14	3748	network switch removable card computer @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 17:12
S15	8873	network switch diagnostic config\$ @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 15:50
S16	79	network switch diagnostic config\$ BIST vector @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 17:15
S17	11	network switch diagnostic config\$ BIST vector (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/06 17:13
S18	2451	network switch diagnostic config\$ (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 09:36
S19	26	network switch diagnostic config\$ (fibre or fiber) @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 09:37
S20	654	network router diagnostic config\$ (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 11:49
S21	3	network router diagnostic config\$ (fibre or fiber) @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 09:56
S22	3	router diagnostic config\$ (fibre or fiber) @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 10:12
S23	29	router "diagnostic mode" config\$ (fibre or fiber) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 11:35
S34	22	assign IP near5 slot router @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 13:29
S35	58	(assign adj IP) same (ID or identifier or identification) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 13:34

EAST Search History

S36	17	(assign adj IP) near5 (ID or identifier or identification) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 13:35
S37	131	dynamic same (assign adj IP) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:01
S38	393	location (dynamic near3 IP) (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:38
S39	168	"test vector" (BIST or "built-in self-test") (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:41
S40	3	"test path" ports diagnostic (BIST or "built-in self-test") (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:42
S41	172	ports diagnostic (BIST or "built-in self-test") (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:42
S43	564	370/218,248,250.ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:43
S44	9	self?test 370/218,248,250.ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:44
S45	65	self?test diagnostic "709"/\$\$\$ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 14:49
S46	1	BIST diagnostic "709"/\$\$\$ccls. (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:31
S47	12	"internal diagnostic" ping (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:32
S48	545	diagnostic ping (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:41

EAST Search History

S49	53	diagnostic ping self-test (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:42
S50	46	diagnostic ping self-test (router or switch) network @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:43
S51	204	diagnostic test ping (router or switch) IP @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:45
S52	545	diagnostic ping (router or switch) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:47
S53	1732	cisco router @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:48
S54	744	cisco.as. router @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:48
S55	0	cisco.as. router @ad<"20010607" Built-in Self-test	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:48
S56	3	cisco.as. router @ad<"20010607" BIST	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:49
S57	110	cisco.as. router @ad<"20010607" diagnostic	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:50
S59	13	cisco.as. router @ad<"20010607" diagnostic ping	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 16:52
S60	47	cisco.as. router @ad<"20010607" ping	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 17:11
S61	22	router ping self\$test @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2004/12/07 17:11

EAST Search History

S62	35	(test WITH vector) SAME connectivity @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 15:37
S63	565	(test WITH vector) connect\$ fibre @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 15:38
S64	8	(test WITH vector) connect\$ fibre (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 15:43
S65	23	(test WITH loop) connect\$ fibre (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:38
S66	111	(test WITH loop) connect\$ (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:39
S67	79	(test WITH loop) connect\$ storage (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:39
S68	21	(test WITH loop) connect\$ (data adj storage) (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:39
S69	51	(test WITH (loop or path)) connect\$ (data adj storage) (daisy adj chain) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:39
S70	2161	(test WITH (loop or path)) connect\$ (data adj storage) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:39
S71	2939	(test WITH circuit) connect\$ (data adj storage) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/05/12 16:39
S72	30490	data WITH storage integrated switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 15:25
S73	2666	data WITH storage integrated WITH switch @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 15:25

EAST Search History

S74	1617	data WITH storage integrated WITH switch network @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 15:35
S75	159	data WITH storage integrated WITH switch (cache WITH (operation or command)) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 15:36
S76	2996	data WITH storage switch (cache WITH (operation or command)) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 15:36
S77	414	network switch diagnostic config\$ cache WITH (Command or operation or move or moving) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 16:03
S78	402	network switch diagnostic config\$ cache WITH (Command or operation) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 16:03
S79	816	(switch or router) diagnos\$ (config\$ or setting) cache WITH (Command or operation) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 16:03
S80	316	(switch or router) diagnos\$ (config\$ or setting) adapter cache WITH (Command or operation) @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 16:03
S81	897	709/250.ccls. @ad<"20010607"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/10/24 16:04